


BENEFITS OF THE RECUPERATORS:


- ✓ Maintaining a comfortable room temperature with constant ventilation at any time of the year
- ✓ Ventilation with minimal energy losses, maximum heat retention of up to 96%
- ✓ Continuous air exchange cleans the air from CO2 and volatile organic compounds (VOC)
- ✓ Normalises humidity
- ✓ Improves well-being
- ✓ Ensures the absence of mould in the room

Easy control via the app and remote control

- Ability to monitor air quality
- Remote service support via the Internet



4 operating modes
 • Intelligent Auto mode •



Breathe

Heat recovery ventilation

Model range
KLIMATRONIK 160

BASIC

PRO

	BASIC L	BASIC H	PRO L "Bedroom"	PRO M "Standard"	PRO H "Power"
Automatic plate					
Wi-Fi					
Remote service					
Auto	-	-			
Temperature indicators	-	-			
Humidity indicator	-	-			
CO2 index	-	-			
TVOC metric	-	-			
Noise level	12-30 dB	12-42 dB	12-30 dB	12-34 dB	12-42 dB
Volume of air exchange	20-90 m ³ /year	20-150 m ³ /year	20-90 m ³ /year	20-120 m ³ /year	20-150 m ³ /year
Room area	20-60 m ²	20-100 m ²	20-60 m ²	20-80 m ²	20-100 m ²
W (fans)	4-12 W	4-18 W	4-12 W	4-16 W	4-18 W
W (warmed up)	0-100 W	0-100 W	0-100 W	0-100 W	0-100 W
Location	<ul style="list-style-type: none"> • Bedrooms • Recreation rooms • Living quarters • Offices • Schools/kindergartens 	<ul style="list-style-type: none"> • Production facilities • Sports halls • Game rooms • Service sector • Rooms with high humidity 	<ul style="list-style-type: none"> • Bedroom • Recreation rooms • Living quarters • Offices • Schools/kindergartens 	<ul style="list-style-type: none"> • Living quarters • Offices • Schools/kindergartens • Production • Service sector • Health care facilities 	<ul style="list-style-type: none"> • Production facilities • Sports halls • Game rooms • Service sector • Rooms with high humidity

Faces panel colours:



WHITE



BLACK AND WHITE



BLACK

FEATURES OF PRO PRODUCT RANGE

- + **Automatic air quality control.** In the "Auto" mode, the device independently adjusts the intensity of ventilation depending on the level of air pollution.
- + PRO recuperators are equipped with sensors **carbon dioxide (CO₂)**, **volatile organic compounds (VOC)**, **air temperature and humidity**. These indicators are displayed on the device display, as well as in more detail, with statistics in the form of graphs in the mobile application.
- + **Indicator of heat recovery efficiency.**
- + Setting the "night" mode according to the weekly schedule.
- + Sets the timer for turbo mode.